


EN

3-IN-1

FOLDING WORKBENCH

3-in-1 Work Station





WARNING!

Read carefully and understand all ASSEMBLY AND OPERATION INSTRUCTIONS before operating. Failure to follow the safety rules and other basic safety precautions may result in serious personal injury.

This workbench is designed for certain applications only. Bellota cannot be responsible for issues arising from modification. We strongly recommend this workbench not be modified and/or used for any application other than that for which it was designed. If you have any questions relative to a particular application, DO NOT use the workbench until you have first contacted Bellota to determine if it can or should be performed on the product.

INTENDED USE:

The workbench is the ultimate 3-in-1 portable workbench, sawhorse and scaffold. The item can be transformed easily between the 3 modes by following the instruction manual.

TECHNICAL SPECIFICATIONS:

Work platform size: L94xW48 cm / L37xW18.9 in

Work height: 52-66-80 cm / 20.5-26-31.5 in

Loading capacity:

Testing MAX capacity* – 450 kg / 992.1 lb


Workbench mode – 150 kg / 330 lb


Sawhorse mode – 150 kg / 330 lb


Scaffold mode – 150 kg / 330 lb

N.W. - G.W.: 13 kg - 15 kg / 28.66 lb - 33 lb

GENERAL SAFETY RULES

 **WARNING:** Read and understand all instructions. Failure to follow all instructions listed below may result in serious injury.

 **CAUTION:** Do not allow persons to operate or assemble this workbench until they have read this manual and have developed a thorough understanding of how the unit works.

 **WARNING:** The warnings, cautions and instructions discussed in this instruction manual cannot cover all possible conditions or situations that could occur. It must be understood by the operator that common sense and caution are factors which cannot be built into this product but must be applied by the operator.

SAVE THESE INSTRUCTIONS


IMPORTANT SAFETY CONSIDERATIONS

- FAILURE TO FOLLOW THESE SAFETY PRECAUTIONS AND INSTRUCTIONS COULD RESULT IN DAMAGE TO THE PRODUCT AND/OR SERIOUS INJURY TO YOU!
- Make sure all moving parts are free from interference.
- Keep hands clear of all moving parts.
- Ensure workbench is used in a dry place, protected from rain. Do not store or use it outdoors or in a moist environment.
- Keep work area well lit.
- Be aware of over balancing. When using this product in all modes, please keep your body or a heavy object in the centre or surface to avoid overbalance. Incorrect usage may cause it to turn over and result in personal injury.
- When transporting the workbench in a vehicle, always tie down to prevent movement and possible damage.
- Check to make sure that all fixing screws and knobs are tight, and all legs are locked into position before operating the workbench.


- DO NOT USE SCAFFOLD MODE WHEN THE LEGS ARE FULLY EXTENDED. Always use this product on a stable, level surface. Failure to use properly or overload may result in serious personal injury.
- When using this product with power tools, please refer to the manufacturer's instructions for guidance on usage.
- The product must be used only for its prescribed purpose. Any use other than those mentioned in these instructions will be considered a case of misuse. The manufacturer shall not be liable for any damage or injury resulting from such cases of misuse.
- The manufacturer shall not be liable for any modifications made to the tool or for any damage resulting from such modifications.

ASSEMBLY

Your 3-in-1 workbench comes fully assembled, just take it out of the packaging and follow the simple set up steps, then it is ready to use.




Workbench Mode



1. Firstly, set up the legs by following the same steps as detailed with scaffold mode section.
2. Pull up the leg switch on the side of each leg to release them, then pull the inner legs out to the workbench height 80 cm. There are 3 locking positions, each for a height. The lowest one is 52 cm, the second is 66 cm and the highest is 80 cm. 52/66 cm are for scaffold mode. 80cm is for workbench & sawhorse mode.
3. Gently turn the workbench upright onto a stable, level surface.


NOTE: DO NOT step on the workbench while the legs are fully extended.

Scaffold Mode



1. Release all legs from their locking position, then rotate each pair of legs until you cannot move them anymore.
2. Ensure the gusset brace is locked by pushing it down. Repeat for all the other gusset braces, forming a scaffold.

WARNING:



DON'T USE SCAFFOLD MODE WITH LEGS FULLY EXTENDED.

MAINTENANCE

- Maintain your workbench. It is recommended that the general condition of any workbench be examined before it is used. Keep your workbench in good repair by adopting a program of conscientious repair and maintenance. Have necessary repairs made by qualified service personnel.
- Wipe away dirt and dust from the workbench on a regular basis.