



FOR CONSTRUCTION / TILING / LEVELLING SYSTEMS / Push & Level System

Product reference

#### LSS015

Ceramic levelling chock for 1.5 mm Push&Level wedge system -200 units bag / LSS015









Brand

Bellota

EAN code

8414299707908

#### Use

You'll eliminate the bumps. 100% levelled. 1.5 mm wedge. Bag with 200 wedges.

#### Bullet points

Save time, with just your hands you will be able to level the tiles quickly and comfortably. You will not need any additional tools and you will be able to reach all corners.

It eliminates bumps between the floor tiles.

It leaves the tile joints clean. Clean break guarantee thanks to using pure quality Bellota materials.

### Description

Tile levelling system chock. It guarantees precision in ceramic joints and eliminates bumps between the floor tiles.

www.bellota.com 1/3



## Characteristics and attributes

Attributes Characteristics

Separation width (in mm): 1.5 Ceramic height (mm): 8-13

Self-levelling

:

Item dimensions

Article length (in mm) Article width (in mm) High article (in mm) Net weight (in kg)

70 260 450 0.88

Gross Weight (Kg)

0.89

# Classification and certifications

Tariff code

39269097

#### Multimedia Links

Video How To HOW

https://youtu.be/Nia6TGFN1HY https://youtu.be/sMx3WlcXaYM

# Spare parts and accessories

Related items (Accessories)

www.bellota.com 2/3





LSSCREW
Ceramic levelling thread for
Push&Level system - Bag 100 /
LSSCREW

www.bellota.com 3/3